

A Guide for the Creation of Watersound Camp Creek



Revised January 30, 2026

Original Issue June 24, 2020
Revision 1: November 30, 2023
Revison 2: October 24, 2024

Guide for the Creation of Watersound Camp Creek

Table of Contents

| | |
|--|---|
| Introduction | 2 |
| House Size | 2 |
| Building Site Setback Lines | 3 |
| Vertical Lot Development | 3 |
| Automotive Parking and Drives | 4 |
| House Composition | 4 |
| Secondary Elements, Accessory Structures | 5 |
| Carriage Houses and Garages | 5 |
| Porches, Decks, Verandahs and Balconies | 6 |
| Doors, Windows, and Shading Devices | 6 |
| Roofs | 6 |
| Fireplaces and Chimneys | 7 |
| Mechanical Screens | 7 |
| Exterior Lighting | 7 |
| Exterior Fans | 8 |
| House Identification | 8 |
| Landscape/Hardscape | 8 |

Guide for the Creation of Watersound Camp Creek

Introduction

The Watersound Camp Creek community, created from existing planted pine plantation, is nestled among existing natural features with each of the estate-size lots ready for outdoor living in this natural environment. Located between US Hwy 98 and County Road 30A, the Watersound Camp Creek community is ideally situated for golf cart living, providing convenient access to all of the services necessary for a primary residence with the privacy and safety of living in a gated community. It is a short golf cart ride, bike ride or walk from the neighborhood to the new Camp Creek Lifestyle Village as well as the Watersound Origins Town Center.

Allowing for creativity in architectural form, these design guidelines are intended to provide direction to the architect with regard to house placement, building materials and clarify other parameters to ensure consistency with the engineering design for the community. Owners and their architects will be required to work within these parameters to develop a home composition that meets their vision and needs. The Watersound Camp Creek Design Review Board encourages the development of individual houses that have a unique character with whimsical features and tasteful elements that reflect the personality and spirit of the owner.

Each home should be designed to live as a full-time residence. Vacation rentals will not be permitted in this community preserving the enjoyment of neighborhood for its full time residents.

There is no separate pattern book for the Watersound Camp Creek community. Rather, these Guidelines are intended to clarify the requirements for designing a home in the community. The Watersound Camp Creek Design Review Board extends an open invitation to all Owners and Architects who may want or need more information concerning any aspect of their design.

House Size – Height/Stories

Minimum house size shall be 1 story. Maximum house size shall be up to 4 habitable stories and maximum building height shall not exceed 50'. No portion of a widow's walk shall exceed 42'. No portion of a light monitor shall exceed 46' and no portion of a tower shall exceed 50'. Building height is measured from the average natural grade of the lot to the highest point on the main roof. Each lot shall have one single-family residence and associated parking.

Guide for the Creation of Watersound Camp Creek

Building Site Setback Lines

Building Site Setback Lines define the area in which construction is permitted on each lot. The Building Site Setback Lines and accompanying numerical notation shall be provided in Site Plan of all submittals. There are some encroachments allowed into the Building Site Setback Lines. These include steps, roof overhangs less than 30 inches, roof gutters, chimneys, parking, drives and walks, landscaping and mechanical equipment may encroach upon the Building Site Setback Lines. Some lots may have portions of wetland buffers located on the lot. No clearing or other construction activity can occur in the wetland buffers.

| | |
|--|-------|
| Front Building Site Setback | 15'0" |
| Side Building Site Setback | 10'0" |
| Rear Building Site Setback | 10'0" |
| Pools | 10'0" |
| Minimum distance between house any other structure | 5'0" |
| Free standing garage | 5'0" |
| Fences, walls | 0'0" |
| Pool decks, patios, decks | 6'0" |
| *Minimum distance from property boundary for any uses allowed in the building site setback | 2'-6" |

*Only for drives, walks, steps, chimneys, mechanical equipment, decks. Landscape installation is allowed to the property boundary.

Vertical Lot Development

No permanent structures shall be placed in any easements.

The minimum finished floor elevation of the first floor shall be consistent with the information provided in the recorded final plat of the development and as reviewed and approved by Walton County Planning & Zoning in accordance with the building permit application and

Guide for the Creation of Watersound Camp Creek

review process.

Automotive Parking and Drives

Car parking, including trellis screens, carports, porch cochères, carriage houses and garages shall be designed to complement the home.

All parking for the home shall be provided on site. A minimum of 2 onsite spaces is required, however, to accommodate changing lifestyles, the following parking requirements are suggested:

Minimum of 2 parking spaces + 1 guest parking space

Add 1 parking space for 2nd master bedroom

Add 1 parking space for carriage house

The minimum size of a parking space is 8'-6" (width) / 9'-0" (width between columns) x 18'-0" (length). Dimensioned rectangles for each automotive parking space are required in Site Plan of all submittals. All automotive parking to occur inside property lines.

With the size of larger trucks and SUVs, garage bays should be 24' in depth with 9' 6" bay doors.

Automotive drives and curb cuts are to be clearly defined and dimensioned in Site Plan of all submittals with the following design parameters applicable:

- Minimum 2'-6" from side property line
- May only widen between the front property line and the Front Building Site Setback Line via a 5'-0" radius (one side only). Said radius will connect directly to the Front Building Site Setback Line.
- Maximum driveway width at intersection of the curb will not exceed 18', and maximum driveway width shall not exceed 15'.
- The driveway to the back of curb shall be shown on the landscape/hardscape plan.
- Acceptable materials include stone, concrete, pavers, loose stone, brick or a mix of no more than 3 materials.

House Composition

Watersound Camp Creek homes are to be architecturally designed custom residences, which are planned to take advantage of site specific features such as existing vegetation and views of natural features like ponds or the golf course. There is not one particular architectural style that must be followed when designing Watersound Camp Creek homes. Rather, each home should express individual style in design in a manner that complements the natural surroundings. Homes may have two fronts – one facing the street and the other facing adjacent ponds, parks or the Camp Creek Golf Course. These fronts should incorporate

Guide for the Creation of Watersound Camp Creek

sufficient vegetation to soften the facades, providing view corridors to the natural features while providing some privacy for the residents.

Outdoor living features should be considered when designing a Watersound Camp Creek home.

Acceptable materials for the home include the following: hardwood siding, wood shingles, wood shakes, hardboard or cementitious siding, brick, stone, stucco or concrete.

A mix of materials is encouraged, but should be limited to no more than 3.

Colors should be limited to a wall color, trim color and accent color. Color selections should complement the surrounding area.

Secondary Elements, Accessory Structures

Towers, cupolas, light monitors and widow's walks are permitted on all lots in Watersound Camp Creek.

Pools, cabanas, patios and decks are permitted on all lots in Watersound Camp Creek.

Accessory Structures may be distinct from the home or may be attached to the home by a separate connection. Examples of Accessory Structures include out buildings, storage structures, attached garage, detached garage with upstairs residence, guesthouse, pool house, cabana, greenhouse, gazebo, trellis, arbor.

Carriage Houses and Garages

Carriage houses or garages are permitted on all lots in Watersound Camp Creek and are subject to the following design parameters:

- Garage doors are to be for single bays only.
- Carports below carriage houses must be screened to reduce the impact of automobiles on the lot and the community
- Connecting volumes between the Main Body and a carriage house should have a lower roof line.
- Garage doors should be 9'6" wide and bays should be 24' deep.
- Garages may incorporate ½ bay for golf cart parking, charging and storage.
- The style and finish of the garage shall complement the home.
- Free standing garages may be located on the 5' setback.
- Covered walkways between the free standing garages and the house are allowed.
- Attached garages shall be considered as part of the house and must follow the setbacks established for the home.

Guide for the Creation of Watersound Camp Creek

Porches, Decks, Verandahs and Balconies

Porches should adhere to the following design parameters:

- Minimum depth of all porches is 8'-0" measured from inside of column to the wall.
- Conditioned enclosure of porches should have the appearance of a porch bay(s) infill with columns remaining visible.
- Porches and verandahs may be screened.
- Screens shall not run in front of the porch structure.

Windows, Doors, and Shading Devices

Windows, doors, and shutters should adhere to the following design parameters:

- Windows should be proportioned and placed to enhance the appearance of the exterior.
- Windows should be placed to enhance interior light quality.
- Windows may be wood frame, aluminum clad, aluminum or vinyl. Highly reflective material including foil is not allowed.
- Doors should be at least 7' in height.
- Doors may be solid or include glazing and side lights.
- Shading devices include awnings, shutters, Bermuda shutters or lattice overhangs.
- Shutters should be operable and sized appropriately to fully close over the window opening.
- Shading device materials include fabric, wood, fiberglass, aluminum. Unless fabric, the shading devices must be painted, stained or powder coated. Shutters to be wood, aluminum or fiberglass (if manufactured).

Roofs

Roofs should adhere to the following design parameters:

- Galvalume 5V crimp, corrugated, low-profile standing seam, wood shakes, wood shingles, concrete barrel tile, concrete flat tile, architectural shingles, slate and copper.
- Main house to be the same material. Accent roofs may be but is not required to be a different material.
- Hip roof pitch between 3 and 8 in 12
- Gable roof pitch between 8 and 10 in 12
- Roof pitch of less than 3 in 12 not permitted

Guide for the Creation of Watersound Camp Creek

- Gutters to be 6" half-round galvalume or copper with minimal splicing and circular downspouts of the same material or drip chains terminating in a decorative rain barrel or planter.
- Roof attachments such as ornament ridge caps or weather vanes are permitted.
- Vent stacks and roof vents shall be painted to match the roof color.
- Roof overhangs to be 12" minimum
- Solar energy devices will be allowed on the roof of any structure.
- Ground-based solar arrays will not be allowed.

Fireplaces and Chimneys

Fireplace design parameters are as follows:

- Traditional wood stove, zero-clearance insert, authentic masonry construction or an Isokern or Superior Clay Rumford unit.
- Masonry, Isokern, and Superior chimneys shall be constructed from brick or stucco veneer on reinforced masonry or concrete
- Wood stoves and zero-clearance inserts may have galvanized pipe flues braced to meet coastal wind load criteria
- Chimneys shall be faced with tabby stucco, stucco, brick, stone, concrete or the same material as the home.
- Chimney dimensions shall be compatible in scale to the structure
- Terra cotta chimney caps or simple metal shrouds are required and should be scaled to fit the chimney
- Roof penetrations greater than 7" will be contained within chimneys. Roof penetrations less than 7" shall be painted to match the roof and need not be contained in chimneys.

Mechanical Screens

Mechanical screen design parameters are as follows:

- Permanent screening required around all exposed sides of mechanical units.
- Mechanical units shall be grouped to minimize their impact
- Exposed vents, grilles, and other MEP components shall be coordinated with building elements.
- Terra cotta chimney caps or simple metal shrouds are required.

Exterior Lighting

Exterior lighting shall be limited to porches, courtyards and to mark paths where necessary. The intent is to produce an enticing low level throughout the community that creates a warm ambience while maintaining views of the night sky and stars.

Guide for the Creation of Watersound Camp Creek

The light source shall be shielded from view to the greatest extent possible. Spotlights and floodlights shall only be used where needed for safety and security and shall not shine light on any part of neighboring property.

Recessed fixtures shall be closed with a Fresnel lens or other appropriate glass diffuser.

Globes shall be either uniformly opaque (i.e. frosted, acid etched etc.) or be hand blown with sufficient colonial era bubbles or a significant cage to obscure the lamp.

All fixtures with an exposed bulb must use half mirrored lamps with a blacked out bottom or other deflecting and diffusing lamp types and techniques to shield the source of the light.

The brightness of any single exterior house light fixture is not to exceed the lumen value of a 30W A bulb. The brightness of any single exterior site light fixture is not to exceed the lumen value of a 20W A bulb. These values shall be reduced if multiple closely spaced fixtures are installed.

All metals of exterior light fixtures shall be corrosion resistant.

Specification sheets for all exterior light fixtures shall be shown and included in the permit set.

Exterior Fans

All exterior fans are to be UL listed for **WET** locations. Those fixtures rated for **DAMP** locations are not permitted.

Light kits are not permitted for exterior fans. Exterior fans should not be white in color.

All exterior fan housings and blades are to be manufactured from non-corrosive galvanized or brushed nickel materials.

House Identification

Front address identification is required for all houses. All temporary house numbers shall be removed when construction is complete.

Landscape/Hardscape

When designing the landscape and irrigation plan for the home, the design shall include the property between the street and the lot boundary. This area is commonly known as the street frontage. The homeowner will be required to install and irrigate this landscape at the time of the landscape construction on the lot. On the street frontage, landscape planting shall include beds of trees, shrubs and ground cover plants. A minimum of two oak trees are required to be

Guide for the Creation of Watersound Camp Creek

planted on each street frontage area. The property owner shall be responsible for irrigation of this area, while the Homeowners Association shall be responsible for regular pruning and maintenance. The irrigation controller shall be placed in an exterior location for access by the maintenance company. The street frontage shall be placed on a separate irrigation zone.

Fountains, fire pits, yard decoration, playground equipment must be included on the landscape plans.

All planting areas, sidewalks, paths, trails must be included on the landscape plan. Sidewalks shall be located 7' from the back of curb, shall be continuous the length of the street frontage and shall be broom finished concrete. Paths and trails on the lot may be granite screenings, mulch, sand, pinestraw, pavers, stone, eco pavers, concrete with exposed shell or aggregated, stained concrete or integral color concrete. If proposed to be concrete, finish may have exposed aggregate or shell or shall be a broom finish with a paver band border. If using colored concrete, the color shall be integrated into the mix and not just a surface color.

Gardens and site structures are encouraged. Gardens may include cutting gardens, kitchen gardens, herb gardens, butterfly gardens and may include site structures such as arbors, trellises, lattices, gazebos and pavilions. In addition, bird baths, fountains, basins and other water features may be incorporated into the landscape design.

Sod and turf should be used sparingly on the lot.

Approved plant materials are listed below:

Trees

| | |
|-------------------------|----------------|
| Yellow Haw | Slash Pine |
| Fringe Tree | Longleaf Pine |
| Big Flowered Silverbell | Chickasaw Plum |
| Dahoon Holly | Chapman's Oak |
| Yaupon Holly | Sand Live Oak |
| Southern Red Cedar | Turkey Oak |
| Southern Magnolia | Myrtle Oak |
| Sweetbay Magnolia | Cabbage Palm |
| Red Bay | Pond Cypress |
| Swamp Bay | Bald Cypress |
| Sand Pine | Chaste Tree |
| Winged Elm | Ligustrum |
| | Florida privet |

Guide for the Creation of Watersound Camp Creek

Shrubs

| | |
|----------------------|---------------------|
| Red Buckeye | Florida Azalea |
| Groundsel Bush | Sweet Azalea |
| American Beautyberry | Swamp Azalea |
| Florida Rosemary | Winged Sumac |
| Woody Goldenrod | Culinary Rosemary |
| Summersweet | Saw Palmetto |
| Conradina | Silver Saw Palmetto |
| St. Johns Wort | Sparkleberry |
| Gallberry | Shiny Blueberry |
| Dwarf Yaupon Holly | Sweet Viburnum |
| Florida Anise | Walter's Viburnum |
| Rusty Lyonia | Deerberry |
| Fetterbush | Beargrass |
| Wax Myrtle | Ligustrum |
| Wild Olive | Florida privet |
| Firebush | Coontie |
| Hybrid Lantana | Podocarpus |

Ground Covers and Perennials

| | |
|--------------------|---------------------|
| Butterfly Weed | Rose Mallow |
| Sea Oxeye | Swamp Mallow |
| Red Calamint | Standing Cypress |
| Vanilla Plant | Blazing Star |
| Wooly Golden Aster | Gopher Apple |
| Lanceleaf Tickseed | Cardinal Flower |
| String Lily | Garden Phlox |
| Twin Flower | Prairie Coneflower |
| Purple Coneflower | Black Eyed Susan |
| Coriopsis | Jointweed |
| Rattlesnake Master | Blue Eyed Grass |
| Coral Bean | Seaside Goldenrod |
| Blanket Flower | Stoke's Aster |
| Gaura | Spiderwort |
| Beach Sunflower | Ironweed |
| Scarlet Hibiscus | Coontie |
| Swamp Hibiscus | Knock Out Roses |
| Florida Anise | Beach Morning Glory |
| Black Eyed Susan | Bulbine Frutescens |

Guide for the Creation of Watersound Camp Creek

Vines

| | |
|-------------------|-----------------|
| Crossvine | Climbing Rose |
| Trumpet Creeper | Greenbrier |
| Yellow Jessamine | Muscadine Grape |
| Virginia Creeper | Wisteria |
| Coral Honeysuckle | Railroad Vine |

Grasses

| | |
|---------------------|-------------------------|
| Splitbeard Bluestem | Silk Grass |
| Chalky Bluestem | Little Bluestem |
| Wiregrass | Sand Cordgrass |
| Purple Lovegrass | Purple Top |
| Field Lovegrass | Fakahatchee Grass |
| Gulf Muhly Grass | Dwarf Fakahatchee Grass |
| Dune Panic Grass | Sea Oats |
| Switch Grass | |

Guide for the Creation of Watersound Camp Creek

Aquatic Plants

| | |
|-------------------|-------------------|
| Golden Canna Lily | Waterlily |
| Sawgrass | Pickerel Weed |
| Blue Flag Iris | Arrowhead |
| Soft Rush | Soft-stem Bulrush |

Ferns

| |
|----------------------|
| Cinnamon Fern |
| Royal Fern |
| Southern Shield Fern |

Non-Native Perennials

| | |
|--------------------|-------------------|
| Apple Blossom | Rose Moss |
| Love-lies-bleeding | Yellow Coneflower |
| White Doll's Daisy | Mealycup Sage |
| Russian Sage | Mock Vervain |

Any plants not listed on this Approved Plant List may be submitted for landscape plan approval but must be planted in pots.